

ORTHOGRAPHIC PROJECTIONS

OF POINTS & LINES

**Engineering Graphics and Design
(BTME-101-21)**

ORTHOGRAPHIC PROJECTIONS

OF POINTS, LINES, PLANES, AND SOLIDS.

TO DRAW PROJECTIONS OF ANY OBJECT,
ONE MUST HAVE FOLLOWING INFORMATION

A) OBJECT

{ WITH IT'S DESCRIPTION, WELL DEFINED. }

B) OBSERVER

{ ALWAYS OBSERVING PERPENDICULAR TO RESP. REF.PLANE}.

C) LOCATION OF OBJECT,

{ MEANS IT'S POSITION WITH REFFERENCE TO H.P. & V.P. }

TERMS 'ABOVE' & 'BELOW' WITH RESPECTIVE TO H.P.
AND TERMS 'INFRONT' & 'BEHIND' WITH RESPECTIVE TO V.P
FORM 4 QUADRANTS.
OBJECTS CAN BE PLACED IN ANY ONE OF THESE 4 QUADRANTS.


IT IS INTERESTING TO LEARN THE EFFECT ON THE POSITIONS OF VIEWS (FV, TV)
OF THE OBJECT WITH RESP. TO X-Y LINE, WHEN PLACED IN DIFFERENT QUADRANTS.

NOTATIONS

FOLLOWING NOTATIONS SHOULD BE FOLLOWED WHILE NAMING DIFFERENT VIEWS IN ORTHOGRAPHIC PROJECTIONS.

| OBJECT | POINT A | LINE AB |
|-----------------|---------|---------|
| IT'S TOP VIEW | a | a b |
| IT'S FRONT VIEW | a' | a' b' |
| IT'S SIDE VIEW | a'' | a'' b'' |

*SAME SYSTEM OF NOTATIONS SHOULD BE FOLLOWED
INCASE NUMBERS, LIKE 1, 2, 3 – ARE USED.*




THIS QUADRANT PATTERN,
 IF OBSERVED ALONG X-Y LINE (IN RED ARROW DIRECTION)
 WILL EXACTLY APPEAR AS SHOWN ON RIGHT SIDE AND HENCE,
 IT IS FURTHER USED TO UNDERSTAND ILLUSTRATION PROPERLLY.

Point A is Placed In different quadrants and it's Fv & Tv are brought in same plane for Observer to see clearly.


Fv is visible as it is a view on VP. But as Tv is a view on Hp, it is rotated downward 90° , In clockwise direction. The In front part of Hp comes below xy line and the part behind Vp comes above.

Observe and note the process.


POINT A IN 2ND QUADRANT




POINT A IN 1ST QUADRANT



POINT A IN 3RD QUADRANT




POINT A IN 4TH QUADRANT




PROJECTIONS OF A POINT IN FIRST QUADRANT.

POINT A ABOVE HP
& IN FRONT OF VP




PICTORIAL
PRESENTATION

POINT A ABOVE HP
& IN VP




PICTORIAL
PRESENTATION

POINT A IN HP
& IN FRONT OF VP




ORTHOGRAPHIC PRESENTATIONS
OF ALL ABOVE CASES.


*Fv above xy,
Tv below xy.*



*Fv above xy,
Tv on xy.*



*Fv on xy,
Tv below xy.*



PROJECTIONS OF STRAIGHT LINES.

INFORMATION REGARDING A LINE *means*
IT'S LENGTH,
POSITION OF IT'S ENDS WITH HP & VP
IT'S INCLINATIONS WITH HP & VP WILL BE GIVEN.
AIM:- TO DRAW IT'S PROJECTIONS - MEANS FV & TV.

SIMPLE CASES OF THE LINE


1. A VERTICAL LINE (LINE PERPENDICULAR TO HP & // TO VP)
2. LINE PARALLEL TO BOTH HP & VP.
3. LINE INCLINED TO HP & PARALLEL TO VP.
4. LINE INCLINED TO VP & PARALLEL TO HP.
5. LINE INCLINED TO BOTH HP & VP.

**STUDY ILLUSTRATIONS GIVEN ON NEXT PAGE
SHOWING CLEARLY THE NATURE OF FV & TV
OF LINES LISTED ABOVE AND NOTE RESULTS.**

(Pictorial Presentation)


1.

A Line perpendicular to Hp & // to Vp



Note:
Fv is a vertical line Showing True Length & Tv is a point.


Orthographic Pattern



(Pictorial Presentation)


2.

A Line // to Hp & // to Vp



Note:
Fv & Tv both are // to xy & both show T. L.


Orthographic Pattern




3.

A Line inclined to Hp
and
parallel to Vp

(Pictorial presentation)



Fv inclined to xy
Tv parallel to xy.




Orthographic Projections


4.

A Line inclined to Vp
and
parallel to Hp



(Pictorial presentation)




Tv inclined to xy
Fv parallel to xy.



5. A Line inclined to both Hp and Vp
(Pictorial presentation)




On removal of object
i.e. Line AB
Fv as a image on Vp.
Tv as a image on Hp,



Orthographic Projections
Fv is seen on Vp clearly.
To see Tv clearly, Hp is rotated 90° downwards,
Hence it comes below xy.


Note These Facts:-
Both Fv & Tv are inclined to xy.
(No view is parallel to xy)
Both Fv & Tv are reduced lengths.
(No view shows True Length)

Orthographic Projections
Means Fv & Tv of Line AB
are shown below,
with their apparent Inclinations
 α & β



Here TV (ab) is not // to XY line
Hence it's corresponding FV
 $a'b'$ is *not* showing
True Length &
True Inclination with Hp.

Note the procedure
When Fv & Tv known,
How to find True Length.
(Views are rotated to determine
True Length & its inclinations
with Hp & Vp).



In this sketch, TV is rotated
and made // to XY line.
Hence it's corresponding
FV $a'b_1'$ is showing
True Length
&
True Inclination with Hp.


Orthographic Projections

Means Fv & Tv of Line AB

are shown below,

with their apparent Inclinations

α & β



Here TV (ab) is not // to XY line
Hence it's corresponding FV
 $a' b'$ is *not* showing
True Length &
True Inclination with Hp.

Note the procedure


When True Length is known,

How to locate Fv & Tv.

(Component $a-1$ of TL is drawn


which is further rotated

to determine Fv)



Here $a-1$ is component
of TL ab_1 gives length of Fv.
Hence it is brought Up to
Locus of a' and further rotated
to get point b' . $a' b'$ will be Fv.
Similarly drawing component
of other TL ($a' b_1'$) Tv can be drawn.

The most important diagram showing graphical relations among all important parameters of this topic. Study and memorize it as a *CIRCUIT DIAGRAM* And use in solving various problems.



- 1) True Length (TL) – $a' b_1'$ & $a b$
- 2) Angle of TL with Hp - θ
- 3) Angle of TL with Vp – \emptyset
- 4) Angle of FV with xy – α
- 5) Angle of TV with xy – β

Important
TEN parameters
to be remembered
with Notations
used here onward

- 6) LTV (length of FV) – Component $(a-1)$
- 7) LFV (length of TV) – Component $(a'-1')$
- 8) Position of A- Distances of a & a' from xy
- 9) Position of B- Distances of b & b' from xy
- 10) Distance between End Projectors

NOTE this

θ & α Construct with a'

\emptyset & β Construct with a

b' & b_1' on same locus.

b & b_1 on same locus.

Also Remember

True Length is never rotated. It's horizontal component is drawn & it is further rotated to locate view.

Views are always rotated, made horizontal & further extended to locate TL, θ & \emptyset

GROUP (A)


GENERAL CASES OF THE LINE INCLINED TO BOTH HP & VP (based on 10 parameters).

PROBLEM 1

Line AB is 75 mm long and it is 30° & 40° Inclined to HP & VP respectively. End A is 12mm above HP and 10 mm in front of VP. Draw projections. Line is in 1st quadrant.

SOLUTION STEPS:


- 1) Draw xy line and one projector.
- 2) Locate a' 12mm above xy line & a 10mm below xy line.
- 3) Take 30° angle from a' & 40° from a and mark TL I.e. 75mm on both lines. Name those points b_1' and b_1 respectively.
- 4) Join both points with a' and a resp.
- 5) Draw horizontal lines (Locus) from both points.
- 6) Draw horizontal component of TL a b_1 from point b_1 and name it 1. (the length a-1 gives length of FV as we have seen already).
- 7) Extend it up to locus of a' and rotating a' as center locate b' as shown. Join $a' b'$ as FV.
- 8) From b' drop a projector down ward & get point b. Join a & b I.e.TV.



PROBLEM 3: FV of line AB is 50° inclined to xy and measures 55 mm long while its TV is 60° inclined to xy line. If end A is 10 mm above HP and 15 mm in front of VP, draw its projections, find TL, inclinations of line with HP & VP.

SOLUTION STEPS:


1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and a 15 mm below xy line.
3. Draw locus from these points.
4. Draw FV 50° to xy from a' and mark b' Cutting 55mm on it.
5. Similarly draw TV 60° to xy from a & drawing projector from b' locate point b and join a b .
6. Then rotating views as shown, locate True Lengths ab_1 & $a'b_1'$ and their angles with HP and VP.



PROBLEM 4 :- Line AB is 75 mm long. It's FV and TV measure 50 mm & 60 mm long respectively. End A is 10 mm above HP and 15 mm in front of VP. Draw projections of line AB if end B is in first quadrant. Find angle with HP and VP.

SOLUTION STEPS:

1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and a 15 mm below xy line.
3. Draw locus from these points.
4. Cut 60 mm distance on locus of a' & mark $1'$ on it as it is LTV.
5. Similarly cut 50mm on locus of a and mark point 1 as it is LFV.
6. From $1'$ draw a vertical line upward and from a' taking TL (75mm) in compass, mark $b'1$ point on it. Join a' $b'1$ points.
7. Draw locus from $b'1$
8. With same steps below get $b1$ point and draw also locus from it.
9. Now rotating one of the components i.e. a-1 locate b' and join a' with it to get FV
10. Locate tv similarly and measure Angles θ & Φ



GROUP (B)

PROBLEMS INVOLVING TRACES OF THE LINE.

TRACES OF THE LINE:-

THESE ARE THE POINTS OF INTERSECTIONS OF A LINE (OR IT'S EXTENSION) WITH RESPECTIVE REFERENCE PLANES.

A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES H.P., THAT POINT IS CALLED TRACE OF THE LINE ON H.P.(IT IS CALLED H.T.)

SIMILARLY, A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES V.P., THAT POINT IS CALLED TRACE OF THE LINE ON V.P.(IT IS CALLED V.T.)

V.T.:- It is a point on VP.
Hence it is called *FV* of a point in VP.
Hence it's *TV* comes on XY line.(Here onward named as *V*)

H.T.:- It is a point on HP.
Hence it is called *TV* of a point in HP.
Hence it's *FV* comes on XY line.(Here onward named as 'h')

STEPS TO LOCATE HT.


(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with FV. Extend FV up to XY line.
2. Name this point h'
(as it is a Fv of a point in Hp)
3. Draw one projector from h' .
4. Now extend Tv to meet this projector.
This point is HT

STEPS TO LOCATE VT.

(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with TV. Extend TV up to XY line.
2. Name this point v
(as it is a Tv of a point in Vp)
3. Draw one projector from v .
4. Now extend Fv to meet this projector.
This point is VT



Observe & note :-

1. Points h' & v always on x-y line.
2. VT' & v always on one projector.
3. HT & h' always on one projector.
4. $FV - h' - VT'$ always co-linear.
5. $TV - v - HT$ always co-linear.

These points are used to solve next three problems.

PROBLEM 7 :

One end of line AB is 10mm above HP and other end is 100 mm in-front of VP. It's FV is 45° inclined to xy while it's HT & VT are 45mm and 30 mm below xy respectively. Draw projections and find TL with it's inclinations with HP & VP.

SOLUTION STEPS:-

Draw xy line, one projector and locate a' 10 mm above xy.

Draw locus 100 mm below xy for points b & b_1

Draw loci for VT and HT, 30 mm & 45 mm


below xy respectively.

Take 45° angle from a' and extend that line backward to locate h' and VT, & Locate v on xy above VT.

Locate HT below h' as shown. Then join $v - HT$ and extend to get top view end b .

Draw projector upward and locate b' . Make ab & $a'b'$ dark.

Now as usual rotating views find TL and it's inclinations.



Thank You